Stat 5101 (Geyer) Fall 2020

Homework Assignment 6

Due Wednesday, October 28, 2020

Solve each problem. Explain your reasoning. No credit for answers with no explanation. If the problem is a proof, then you need words as well as formulas. Explain why your formulas follow one from another.

6-1. The function

$$f(x) = 2x, \qquad 0 < x < 1$$

is a PDF. Suppose X is a random variable having this PDF.

- (a) Calculate E(X).
- (b) Calculate $E(X^2)$.
- (c) Calculate var(X).
- **6-2.** The function

$$f(x,y) = x + y,$$
 $0 < x < 1, 0 < y < 1$

is a PDF. Suppose (X, Y) is a random vector having this PDF.

- (a) Calculate E(X).
- (b) Calculate var(X).
- (c) Calculate cov(X, Y).

(By symmetry, E(Y) = E(X) and var(Y) = var(X) so we do not need to calculate them.)

6-3. Suppose (X,Y) is a continuous random vector having PDF f. Say for each of the following definitions of f whether X and Y are independent or not.

- (a) f(x,y) = 4xy, 0 < x < 1, 0 < y < 1.
- (b) f(x,y) = 8xy, 0 < x < y < 1.
- (c) $f(x,y) = 144(x-1/2)^2(y-1/2)^2$, 0 < x < 1, 0 < y < 1.
- (d) $f(x,y) = 288(x-1/2)^2(y-1/2)^2$, 0 < x < y < 1.

6-4. Suppose X is a continuous random variable having PDF

$$f(x) = \begin{cases} 1+x, & -1 \le x < 0 \\ 1-x, & 0 \le x \le 1 \\ 0, & \text{otherwise} \end{cases}$$

- (a) Find E(X).
- (b) Find $E(X^2)$.
- (c) Find $var(X^2)$.

 $\operatorname{Hint:}$ Since the PDF has a case-splitting formula, you must split integrals into pieces

$$E\{g(X)\} = \int_{-1}^{0} g(x)f(x) dx + \int_{0}^{1} g(x)f(x) dx$$

such that the PDF is defined by one formula for each piece.

6-5. Suppose X is a continuous random variable having the $\text{Exp}(\lambda)$ distribution. Write $\mu = E(X)$.

- (a) Find $E\{(X \mu)^3\}$.
- (b) Find $E\{(X \mu)^4\}$.

6-6. Suppose (X,Y) is a continuous random vector having PDF

$$f(x,y) = 2,$$
 $0 < x < y < 1$

- (a) Find E(X)
- (b) Find E(Y)
- (c) Find $E(X^2)$
- (d) Find $E(Y^2)$
- (e) Find E(XY)
- (f) Find var(X)
- (g) Find var(Y)
- (h) Find cov(X, Y)

Hint: the limits of integration are a bit tricky.

$$E\{g(X,Y)\} = 2\int_0^1 \int_0^y g(x,y) \, dx \, dy = 2\int_0^1 \int_x^1 g(x,y) \, dy \, dx$$

- **6-7.** Suppose X is a continuous random variable having the same PDF as in problem 6-4. Find its distribution function. Be sure to define the DF on the whole real line.
- **6-8.** Suppose X is a continuous random variable having DF

$$F(x) = \begin{cases} 0, & x \le 1\\ 1 - 1/x, & x > 1 \end{cases}$$

Find its PDF. Define the PDF on the whole real line.

6-9. Suppose U has the Unif(0,1) distribution. What is the PDF of

$$Y = -\frac{1}{\lambda}\log(U)$$

6-10. Suppose X has the Unif(-1,1) distribution. What is the PDF of

$$Y = X^2$$

6-11. Suppose (X,Y) has the uniform distribution on the disk

$$\{(x,y) \in \mathbb{R}^2 : x^2 + y^2 < 1\}$$

What is the PDF of the random vector (R, T) which is (X, Y) expressed in polar coordinates?

Hint: The map from (r, t) to (x, y) is given by

$$x = r \cos(t)$$

$$y = r \sin(t)$$